

CMSC335

Web Application Development with JavaScript



HTML

Department of Computer Science


University of MD, College Park

Slides material developed by Ilchul Yoon, Nelson Padua-Perez

HTML Elements - iframe

- HTML Inline Frame element
- **Format:**
`<iframe src="URL_TO_DISPLAY"></iframe>`
- **Additional attributes**
 - width and height
 - To remove border use *style="border:none"*
- **Playing youtube videos with iframe**
 - http://www.w3schools.com/html/html_youtube.asp
 - You can customize the video interaction by adding options after the link
- ?controls=0 : player controls does not display while playing video
- ?loop=1 : video will loop (forever)
- YouTube <object> and <embed> were deprecated

HTML5 Elements



Example: Html5Elements.html

HTML5 Elements

- **<main>**
 - Contains central topic of the document
- **<nav>**
 - Define a section with navigation links
 - There can be several of them in a document
- **<article>**
 - **Independent, self-contained** item (e.g., magazine article, bog entry)
 - Intended to be independently distributable
- **<section>**
 - Sections in a document, typically with a heading

HTML5 Elements

- **<aside>**
 - Information related to main content (e.g., references)
 - Like a sidebar
- **<header>**
 - header
 - <article>, <section>, <nav> can have their own header
- **<footer>**
 - footer
 - <article>, <section>, <nav> can have their own footer

Other HTML Elements

- **<div>**
 - Generic container (block-level)
- ****
 - Generic container (inline) – For example, to identify a line section
- In the past <div>'s were used to identify header, footer, contents, navigation sections. For example:

```
<div id="nav">
```

```
<!-- links to pages -->
```

```
</div>
```

HTML5 Video

- HTML5 **<video>** element allows embedding of video on a web page. There is no longer necessary to rely on third-party plug-in software

- **Example:**

```
<video width="400" height="400" controls>  
  <source src="mystery.mp4" type="video/mp4">  
  <source in other video format ... >  
  <source in other video format ... >  
  video tag not supported by browser  
</video>
```

- Several files can be listed and the browser will use the first recognized format
- **Example:**
 - http://www.w3schools.com/html/tryit.asp?filename=tryhtml5_video_all

HTML5 Audio

- HTML5 **<audio>** element allows playing audio files. There is no longer necessary to rely on third-party plug-in software

- **Example:**

```
<audio controls>
```

```
<source src="macarena.mp3" type="audio/mpeg">
```

audio tag not supported by browser

```
</audio>
```

- Several files can be listed and the browser will use the first recognized format
- **Example:**
 - http://www.w3schools.com/html/tryit.asp?filename=tryhtml5_audio_all

HTML5 Video/Audio Attributes

- HTML5 **<video>** and **<audio>** elements support the following attributes
- **controls** - playback controls should be displayed
 - **Example:** `<video controls>...</video>`
- **autoplay** - media should play as soon as it is ready
- **preload** - media should be loaded when page loads
- **loop** - media should start over again when finished

Display Values

- Elements (e.g., <p>,) can have the display values **block** or **inline**
- **Block element**
 - Begin on new line
 - Stretches to the left and right as far as possible
 - **Examples:** <p>, <table>, <h1>...<h6>, , , <div>
- **Inline element**
 - Does not start on a new line
 - Takes only as much space as necessary
 - **Example:** , <a>, ,
- You can display inline elements as block elements and vice versa
- Block elements : may contain other block elements, inline elements and data. Some block elements may not contain other block elements
 - e.g., <h1>

Microdata

- Microdata - part of the HTML standard
- Provides attributes you can add to most HTML elements to describe their contents to search engines, web crawlers, or alternative browsers
- Allows search engines to understand the data on a webpage
- Microdata is an attempt to provide a simpler approach to annotate HTML elements with machine-readable tags
- Related term: Semantic Web (goal: make internet data machine-readable)
- **Example:**
 - <https://developer.mozilla.org/en-US/docs/Web/HTML/Microdata#example>
- References:
 - <https://developer.mozilla.org/en-US/docs/Web/HTML/Microdata>

Global HTML5 Attributes

- The following attributes can be applied to most elements
- **hidden** - hides element from display
- **contenteditable** - user can modify contents of an element
- **spellcheck** - allows for spelling and grammar check
- **draggable** - element can be dragged
- **Example:** GlobalAttributes.html
- List of Global Attributes
 - https://www.w3schools.com/tags/ref_standardattributes.asp

Miscellaneous Elements

- **<details>** - defines a clickable heading where the contents appears/disappears when clicked on. The **<summary>** tag defines the default title for the contents
- **<figure>/<figcaption>** - To enclose figures, diagrams, illustrations
- **<meter>** - graphical representation of a value
- **<mark>** - highlights a section
- **Example:** Miscellaneous.html