

JS

Pull from upstream!

Commit any changes first!

Agenda

- Quick Warm Up
- Functions
- Strings
- Other JS Stuff

Functions

- Functions are Objects
- Name of a function is a reference value

Classic way to create a function:

```
function name (params){  
  
statements  
  
}
```

Logistical Items:

- Functions are invoked by using the `()` operator
- Don't use `var` for parameters (e.g. function `print(x, y)`)
- Parameters are passed by value
- There is no mandatory main function
- Returning values via *return*

How can I create a function?

1. With a function declaration
2. Function Expression
3. Using a function constructor

Arrow Functions

- Alternative to anonymous functions
 - “Lambda Expressions”
- Rely on the `=>` operator
- Format
 - Parameters `=>` code
 - Parenthesis for parameters are only required if the function has no parameters or 2 or more parameters. Function with one parameter do not require parenthesis surrounding the parameters
 - If code is a single expression no curly braces nor return statement are required

Fun Functions Facts

- Functions can be passed and returned from other functions
- Default Parameters
 - Created formally in ES6
 - Named parameters can have default values if no parameter is passed

Rest Operator

- Collects remaining items of iterable into an array
 - Uses a triple dot prefix (...x)
 - Added in ES6
-
- Rest parameters
 - Rest operator appears at the end of the parameters list; it will receive all remaining parameters
 - Stores the remaining parameters as an array

Spread Operator

- Also, added in ES6
- Opposite of rest operator
 - Converts items of an iterable (e.g., array) into arguments (for a function call) or into elements of array
 - Uses triple dot (exactly like rest operator)
 - Can appear anywhere (not just at the end)
 - Can be used inside array literals

Arrays (One Dimensional)

- Collection of values that can be treated as a unit or individually
 - a special type of objects
 - `var a = new Array(4);`
- As usual, access elements using `[]`

Arrays can be of any type, and can even contain mixed type elements.

Creating Arrays

Example: `arraysOneDim.html`, `arraysLengthProp.html`

- Literal form
- Using the Array Constructor

Two Dimensional Arrays

Example: [arraysTwoDim.html](#)

- JavaScript does not support actual two-dimensional arrays
 - Can simulate two-dimensional arrays by using an array of arrays
- About two-dimensional arrays
 - Can be passed to or returned from functions like one-dim arrays
 - Any modifications in the function will be permanent
 - You can have ragged arrays

Destructuring

- Destructuring
 - A destructuring assignment allow us to unpack values from arrays, or properties from objects, into distinct variables
 - Very similar to spread (in a way)

Example: `destructuring.html`

String Methods

- Comparison based on < and >
- concat
 - returns a new string representing concatenation of strings
- includes
 - determines whether one string is found within another
- startsWith
 - whether string begins with characters from another string
- endsWith
 - whether string ends with characters of another string
- indexOf
 - index of first character in string (or -1 if not found)

More String Methods

- repeat
 - returns string repeated n times
- splice
 - extracts section of string
- split
 - splits a string into array of strings
- lastIndexOf
 - index of last occurrence of character in the string (or -1 if not found)
- toLowerCase
- toUpperCase
- trim – trims whitespaces

Getting Characters from Strings

- The function `charAt` or `[]` allows us to retrieve the character associated with a particular index position in a string.
 - Access is similar to array indexing (first character at 0).

Example: `charAt.html`

Array Methods

- **fill** - fill elements of an array
- **concat** - returns copy of joined arrays
- **indexOf** - returns position of element in array
- **join** - returns string with all elements in the array
- **pop** - removes & returns last element
- **push** - adds to the end (returns length)
- **reverse** - reverses the array
- **shift** - removes & returns first element
- **unshift** - adds new element to the beginning

Array Methods

- **slice** – selects elements in an array, as a new array
- **splice** – adds and/or removes elements from an array
- **forEach**
 - Calls a provided callback function once for each element in an array in ascending order.
 - Not invoked for index properties that have been deleted or are uninitialized

Example: [arrayMethods.html](#), [arraySlice.html](#), [sorting.html](#)

Typeof vs instanceof

- **typeof**
 - Returns “object” for all reference types
- **instanceof** operator
 - Returns true if a value is an instance of the specified type and false otherwise
 - instanceof can identify inherited types

Every Object is an instance of an Object!

for -- of

- Works on objects that have a method that returns an iterator
- Creates a loop iterating over iterable objects, including:
 - built-in String
 - Array
 - Array-like objects
 - TypedArray
 - Map
 - Set, and
 - user-defined iterables.

Template Literals

- String literals that allow embedded expressions.
- Can replace placeholders in text with vars or exprs
- Defined using the backtick character
 - ``embedded string expression``
 - Placeholders identified with `${varName}`
 - To escape a back-tick in a template literal, use backslash before the back-tick.
- Simpler for multi-line strings
 - Spaces now matter!

Null vs Undefined

- Null

- a value indicating no value (nothing)
- Type: “object”

- Undefined

- Value associated with uninitialized variables
- Type: “undefined”
- Example:
 - `var x; // in a function`
- Value returned by function when no explicit value is returned (IMPORTANT case)
- Value associated with object properties that do not exist

Truthy vs Falsy

- A falsy value is:
 - A value that is considered as false in a Boolean context
 - Falsy values are:
 - False
 - 0
 - ""
 - Null
 - Undefined
 - NaN
- A truthy value is:
 - A value that is considered as true in a Boolean context
 - All values are truthy unless they are defined as falsy

Other Notable Methods

- `Math.random()`- Random number
- `isNaN()`- Attempts to convert to a number
- `Number.isNaN()`- Better version, tests before converting
- `isFinite()`- What makes this false?
- `Number.isFinite()`- Similar to `Number.isNaN()` in execution

Debugging

- Select Inspect after loading the script, and Sources. This will open the debugger.
- Click on a source line to set a breakpoint.
- Alternatively, you can add in your code the statement
`debugger;`

which will invoke the debugger when you run the script

WTWAW

After today make sure you know:

- How to Create functions in 4 ways - really 3
- How to create arrays
- How to use methods to manipulate a String
- Be able to embed data using String literals